

Crosstabs futureUseExpectancy * GraphicDesign

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
futureUseExpectancy * GraphicDesign	69	100,0%	0	0,0%	69	100,0%

futureUseExpectancy * GraphicDesign Crosstabulation

			GraphicDesign					Total
			1.00	2.00	3.00	4.00	5.00	
futureUseExpectancy	1.00	Count	0	0	1	0	0	1
		% within futureUseExpectancy	0,0%	0,0%	100,0%	0,0%	0,0%	100,0%
		% within GraphicDesign	0,0%	0,0%	11,1%	0,0%	0,0%	1,4%
	2.00	Count	0	1	0	3	4	8
		% within futureUseExpectancy	0,0%	12,5%	0,0%	37,5%	50,0%	100,0%
		% within GraphicDesign	0,0%	100,0%	0,0%	16,7%	10,0%	11,6%
	3.00	Count	1	0	3	6	7	17
		% within futureUseExpectancy	5,9%	0,0%	17,6%	35,3%	41,2%	100,0%
		% within GraphicDesign	100,0%	0,0%	33,3%	33,3%	17,5%	24,6%
	4.00	Count	0	0	2	5	11	18
		% within futureUseExpectancy	0,0%	0,0%	11,1%	27,8%	61,1%	100,0%
		% within GraphicDesign	0,0%	0,0%	22,2%	27,8%	27,5%	26,1%
	5.00	Count	0	0	3	4	18	25
		% within futureUseExpectancy	0,0%	0,0%	12,0%	16,0%	72,0%	100,0%
		% within GraphicDesign	0,0%	0,0%	33,3%	22,2%	45,0%	36,2%
Total		Count	1	1	9	18	40	69
		% within futureUseExpectancy	1,4%	1,4%	13,0%	26,1%	58,0%	100,0%
		% within GraphicDesign	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)
Pearson Chi-Square	22.454 ^a	16	,129	,082
Fisher's Exact Test	21,775			,195
N of Valid Cases	69			

a. 21 cells (84.0%) have expected count less than 5. The minimum expected count is .01.

Crosstabs futureUseExpectancy * WritingSystems

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
futureUseExpectancy * WritingSystems	69	100,0%	0	0,0%	69	100,0%

futureUseExpectancy * WritingSystems Crosstabulation

			WritingSystems					Total
			1.00	2.00	3.00	4.00	5.00	
futureUseExpectancy	1.00	Count	0	0	1	0	0	1
		% within futureUseExpectancy	0,0%	0,0%	100,0%	0,0%	0,0%	100,0%
		% within WritingSystems	0,0%	0,0%	4,8%	0,0%	0,0%	1,4%
	2.00	Count	2	3	0	2	1	8
		% within futureUseExpectancy	25,0%	37,5%	0,0%	25,0%	12,5%	100,0%
		% within WritingSystems	33,3%	18,8%	0,0%	14,3%	8,3%	11,6%
	3.00	Count	3	5	6	2	1	17
		% within futureUseExpectancy	17,6%	29,4%	35,3%	11,8%	5,9%	100,0%
		% within WritingSystems	50,0%	31,3%	28,6%	14,3%	8,3%	24,6%
	4.00	Count	0	4	7	5	2	18
		% within futureUseExpectancy	0,0%	22,2%	38,9%	27,8%	11,1%	100,0%
		% within WritingSystems	0,0%	25,0%	33,3%	35,7%	16,7%	26,1%
	5.00	Count	1	4	7	5	8	25
		% within futureUseExpectancy	4,0%	16,0%	28,0%	20,0%	32,0%	100,0%
		% within WritingSystems	16,7%	25,0%	33,3%	35,7%	66,7%	36,2%
Total	Count	6	16	21	14	12	69	
	% within futureUseExpectancy	8,7%	23,2%	30,4%	20,3%	17,4%	100,0%	
	% within WritingSystems	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	19,166 ^a	16	,260			
Fisher's Exact Test	19,556			,172 ^b		
N of Valid Cases	69					

a. 20 cells (80.0%) have expected count less than 5. The minimum expected count is .09.

b. Not computed

Crosstabs futureUseExpectancy * Shopping

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
futureUseExpectancy * Shopping	69	100,0%	0	0,0%	69	100,0%

futureUseExpectancy * Shopping Crosstabulation

		Shopping					Total
		1.00	2.00	3.00	4.00	5.00	
futureUseExpectancy 1.00	Count	0	0	0	1	0	1
	% within futureUseExpectancy	0,0%	0,0%	0,0%	100,0%	0,0%	100,0%
	% within Shopping	0,0%	0,0%	0,0%	8,3%	0,0%	1,4%
2.00	Count	0	2	1	2	3	8
	% within futureUseExpectancy	0,0%	25,0%	12,5%	25,0%	37,5%	100,0%
	% within Shopping	0,0%	10,5%	4,8%	16,7%	50,0%	11,6%
3.00	Count	2	7	5	3	0	17
	% within futureUseExpectancy	11,8%	41,2%	29,4%	17,6%	0,0%	100,0%
	% within Shopping	18,2%	36,8%	23,8%	25,0%	0,0%	24,6%
4.00	Count	4	3	6	3	2	18
	% within futureUseExpectancy	22,2%	16,7%	33,3%	16,7%	11,1%	100,0%
	% within Shopping	36,4%	15,8%	28,6%	25,0%	33,3%	26,1%
5.00	Count	5	7	9	3	1	25
	% within futureUseExpectancy	20,0%	28,0%	36,0%	12,0%	4,0%	100,0%
	% within Shopping	45,5%	36,8%	42,9%	25,0%	16,7%	36,2%
Total	Count	11	19	21	12	6	69
	% within futureUseExpectancy	15,9%	27,5%	30,4%	17,4%	8,7%	100,0%
	% within Shopping	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	20,568 ^a	16	,196			
Fisher's Exact Test	17,089			,338		
N of Valid Cases	69					

a. 21 cells (84.0%) have expected count less than 5. The minimum expected count is .09.

b. Not computed

Crosstabs futureUseExpectancy * Cities

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
futureUseExpectancy * Cities	69	100,0%	0	0,0%	69	100,0%

futureUseExpectancy * Cities Crosstabulation

			Cities				Total
			2.00	3.00	4.00	5.00	
futureUseExpectancy	1.00	Count	1	0	0	0	1
		% within futureUseExpectancy	100,0%	0,0%	0,0%	0,0%	100,0%
		% within Cities	16,7%	0,0%	0,0%	0,0%	1,4%
	2.00	Count	1	4	1	2	8
		% within futureUseExpectancy	12,5%	50,0%	12,5%	25,0%	100,0%
		% within Cities	16,7%	19,0%	5,9%	8,0%	11,6%
	3.00	Count	2	6	6	3	17
		% within futureUseExpectancy	11,8%	35,3%	35,3%	17,6%	100,0%
		% within Cities	33,3%	28,6%	35,3%	12,0%	24,6%
	4.00	Count	1	6	6	5	18
		% within futureUseExpectancy	5,6%	33,3%	33,3%	27,8%	100,0%
		% within Cities	16,7%	28,6%	35,3%	20,0%	26,1%
5.00	Count	1	5	4	15	25	
	% within futureUseExpectancy	4,0%	20,0%	16,0%	60,0%	100,0%	
	% within Cities	16,7%	23,8%	23,5%	60,0%	36,2%	
Total	Count	6	21	17	25	69	
	% within futureUseExpectancy	8,7%	30,4%	24,6%	36,2%	100,0%	
	% within Cities	100,0%	100,0%	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	22,461 ^a	12	,033	,031		
Fisher's Exact Test	16,853			,097		
N of Valid Cases	69					

a. 13 cells (65.0%) have expected count less than 5. The minimum expected count is .09.

Crosstabs futureUseExpectancy * ModesOfTransportation

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
futureUseExpectancy * ModesOfTransportation	69	100,0%	0	0,0%	69	100,0%

futureUseExpectancy * ModesOfTransportation Crosstabulation

		ModesOfTransportation					Total	
		1.00	2.00	3.00	4.00	5.00		
futureUseExpectancy	1.00	Count	0	0	0	0	1	1
		% within futureUseExpectancy	0,0%	0,0%	0,0%	0,0%	100,0%	100,0%
		% within ModesOfTransportation	0,0%	0,0%	0,0%	0,0%	11,1%	1,4%
	2.00	Count	0	3	3	2	0	8
		% within futureUseExpectancy	0,0%	37,5%	37,5%	25,0%	0,0%	100,0%
		% within ModesOfTransportation	0,0%	23,1%	13,6%	9,5%	0,0%	11,6%
	3.00	Count	1	4	6	5	1	17
		% within futureUseExpectancy	5,9%	23,5%	35,3%	29,4%	5,9%	100,0%
		% within ModesOfTransportation	25,0%	30,8%	27,3%	23,8%	11,1%	24,6%
	4.00	Count	2	3	6	6	1	18
		% within futureUseExpectancy	11,1%	16,7%	33,3%	33,3%	5,6%	100,0%
		% within ModesOfTransportation	50,0%	23,1%	27,3%	28,6%	11,1%	26,1%
	5.00	Count	1	3	7	8	6	25
		% within futureUseExpectancy	4,0%	12,0%	28,0%	32,0%	24,0%	100,0%
		% within ModesOfTransportation	25,0%	23,1%	31,8%	38,1%	66,7%	36,2%
Total	Count	4	13	22	21	9	69	
	% within futureUseExpectancy	5,8%	18,8%	31,9%	30,4%	13,0%	100,0%	
	% within ModesOfTransportation	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	15,701 ^a	16	,474	,472		
Fisher's Exact Test	13,517			,706		
N of Valid Cases	69					

a. 19 cells (76.0%) have expected count less than 5. The minimum expected count is .06.

Crosstabs futureUseExpectancy * Advertising

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
futureUseExpectancy * Advertising	69	100,0%	0	0,0%	69	100,0%

futureUseExpectancy * Advertising Crosstabulation

		Advertising					Total	
		1.00	2.00	3.00	4.00	5.00		
futureUseExpectancy	1.00	Count	0	1	0	0	0	1
		% within futureUseExpectancy	0,0%	100,0%	0,0%	0,0%	0,0%	100,0%
		% within Advertising	0,0%	7,1%	0,0%	0,0%	0,0%	1,4%
2.00	Count	0	3	1	4	0	8	
	% within futureUseExpectancy	0,0%	37,5%	12,5%	50,0%	0,0%	100,0%	
	% within Advertising	0,0%	21,4%	5,3%	19,0%	0,0%	11,6%	
3.00	Count	1	3	7	6	0	17	
	% within futureUseExpectancy	5,9%	17,6%	41,2%	35,3%	0,0%	100,0%	
	% within Advertising	33,3%	21,4%	36,8%	28,6%	0,0%	24,6%	
4.00	Count	0	6	5	4	3	18	
	% within futureUseExpectancy	0,0%	33,3%	27,8%	22,2%	16,7%	100,0%	
	% within Advertising	0,0%	42,9%	26,3%	19,0%	25,0%	26,1%	
5.00	Count	2	1	6	7	9	25	
	% within futureUseExpectancy	8,0%	4,0%	24,0%	28,0%	36,0%	100,0%	
	% within Advertising	66,7%	7,1%	31,6%	33,3%	75,0%	36,2%	
Total	Count	3	14	19	21	12	69	
	% within futureUseExpectancy	4,3%	20,3%	27,5%	30,4%	17,4%	100,0%	
	% within Advertising	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided) ^a	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	24,760 ^a	16	,074			
Fisher's Exact Test	24,866			,027 ^b		
N of Valid Cases	69					

a. 20 cells (80.0%) have expected count less than 5. The minimum expected count is .04.

b. Not computed

Crosstabs futureUseExpectancy * SmartphoneApps

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
futureUseExpectancy * SmartphoneApps	69	100,0%	0	0,0%	69	100,0%

futureUseExpectancy * SmartphoneApps Crosstabulation

		SmartphoneApps					Total	
		1.00	2.00	3.00	4.00	5.00		
futureUseExpectancy	1.00	Count	0	0	0	0	1	1
		% within futureUseExpectancy	0,0%	0,0%	0,0%	0,0%	100,0%	100,0%
		% within SmartphoneApps	0,0%	0,0%	0,0%	0,0%	9,1%	1,4%
	2.00	Count	1	1	6	0	0	8
		% within futureUseExpectancy	12,5%	12,5%	75,0%	0,0%	0,0%	100,0%
		% within SmartphoneApps	50,0%	10,0%	23,1%	0,0%	0,0%	11,6%
	3.00	Count	1	0	6	8	2	17
		% within futureUseExpectancy	5,9%	0,0%	35,3%	47,1%	11,8%	100,0%
		% within SmartphoneApps	50,0%	0,0%	23,1%	40,0%	18,2%	24,6%
	4.00	Count	0	5	6	5	2	18
		% within futureUseExpectancy	0,0%	27,8%	33,3%	27,8%	11,1%	100,0%
		% within SmartphoneApps	0,0%	50,0%	23,1%	25,0%	18,2%	26,1%
	5.00	Count	0	4	8	7	6	25
		% within futureUseExpectancy	0,0%	16,0%	32,0%	28,0%	24,0%	100,0%
		% within SmartphoneApps	0,0%	40,0%	30,8%	35,0%	54,5%	36,2%
	Total	Count	2	10	26	20	11	69
		% within futureUseExpectancy	2,9%	14,5%	37,7%	29,0%	15,9%	100,0%
		% within SmartphoneApps	100,0%	100,0%	100,0%	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)	Point Probability
Pearson Chi-Square	24,585 ^a	16	,077			
Fisher's Exact Test	23,486			,050		
N of Valid Cases	69					

a. 20 cells (80.0%) have expected count less than 5. The minimum expected count is .03.

b. Not computed